



## “BDRP” Top No-Go Landing Nipple

The “BDRP” Top No-Go Landing Nipples are designed to accept surface controlled, wireline-retrievable safety valves. An internal profile has been machined in these nipples to allow a lock mandrel/safety valve to be landed and locked in place.

Nipples are available with connections for one or two external control lines and for standard or heavyweight tubing with corresponding honed-bore sizes.

### APPLICATIONS

- Designed to be made up and become part of the tubing to accept surface-controlled, wireline-retrievable safety valves
- Control port machined into nipple wall

### FEATURES

- Large ID is compatible with tubing size and weight
- Solid, non-welded control-line connection and protection portion of nipples
- Wireline operator controls locating, landing, and locking safety valve in a preselected location
- Locking principle is designed to hold against pressure from either direction and sudden and/or repeated reversals of pressure
- Rugged, non-welded design

Please contact our BDWS Sales representative.

Material available other than 9CR-1MO.



**BDRP Top No-Go  
Landing Nipple**

Size		Weight		Upper Packing Bore		Part Number
Inch	mm	Inch	mm	Inch	mm	
2.875	73.03	6.40	9.53	2.313	58.75	LN231RP
3.500	88.90	7.70	11.47	2.313	58.75	LN232RP
		9.20	13.70	2.813	71.45	LN281RP
4.500	114.30	13.50	20.10	3.688	93.68	LN368RP
		10.50	15.64	3.813	96.85	LN381RP
5.000	127.00	15.00	22.34	4.125	104.78	LN412RP
		11.50	17.13	4.313	109.55	LN431RP
5.500	139.70	23.00	34.26	4.313	109.55	LN432RP
		20.00	29.79	4.437	112.70	LN443RP
		13.00	19.36	4.562	115.87	LN456RP
7.000	177.80	17.00	25.32	5.750	146.05	LN5751RP
				5.875	149.23	LN587RP
		23.00	34.26	5.963	151.46	LN596RP
		26.00	38.73	6.000	152.40	LN600RP